

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC





# **EU Type Examination Certificate**

Date: 2023/10/06 n. 525234003/OE Validity: 2027/03/07

This Certificate cancels & replaces the previous one nr. 525221003/OE dated 2022/03/08.

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health <mark>re</mark>quirements of the Reaulation (EU) 2016/425 (Annex II)


Manufacturer: (Responsible of the PPE)	LEATT CORPORATION  12, Kiepersol Cresc., Atlas Gardens – Contermanskloof – DURBANVILLE – ZA-7550 CAPE TOWN – SOUTH AFRICA		
Type of PPE:	"Body-armor" for use by motorcyclists – including protectors of the back, shoulders and elbow against mechanical impact.  II: "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.		
Category of PPE:			
Model:	Body Protector ReaFlex Stealth 5024060460/ 61 / 62 / 63 / 64 / 65 (acc. to SIZING)		

## Description:

## List of textile materials used in the above mentioned articles:

black fabric (BL019004008017); - black fabric (ZZ-031007002002); - black fabric (BL030007011041); - black fabric (BL065005011009); - black fabric (BL065005011009) coupled with grey foam material (FP013002014003) in the chest zone; - black fabric (BL065005011009) coupled with grey foam material (FP015001017014) in the shoulder and back zone; - black stretch fabric (ZZ-SJD003095002); - red fabric (BL030007011004);

black hook and loop closure (ZZ-010027002002); - black perforated fabric (BL019004008065).



red PVC (WF003000003405 - left) and (WF003000003404 - right); - black PU (WF003000003661).

Main fastening: - metallic zipper in contact with the user (LL000000002252).

## Protectors inserted in the garment:

- back protector in red perforated polymeric material (Central back): (KGLET30002007 for all sizes);
- shoulder protector in red perforated polymeric material ("S" Type A): (KGLET30002005 for all sizes);
- elbow protector in red perforated polymeric material ("E" Type A): (KGLET30002006 for all sizes).

Technical Standard:	EN 1621-1:2012	Motorcyclists' protective clothing against mechanical impact - Part 1: Motorcyclists' limb joint impact protectors: requirements and test methods.
	EN 1621-2:2014	Motorcyclists' protective clothing aga <mark>inst</mark> mechanical impact - Part
	Me-int 097	2: Motorcyclists' back protectors – Requirements and test methods.  Body armor – assembly of protectors of the trunk and upper arms.
Intended use:	Preventive use or	gainst mechanical impacts during matercycling, auad and

Preventive use against mechanical impacts during motorcycling, quad and Intended use: biking/downhill activities. This item must always be properly worn with suitable motorcycling garments and all other suitable P.P.E in order to ensure an overall

protection of the body.



### DBD No 0330 B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





# **EU Type Examination Certificate**

Date: 2023/10/06 n. **525234003/OE** Validity: 2027/03/07

Size range: <u>Commercial sizes</u>: from XS to XXL:

Type +
Protector sizes:
(area of protection)

COMMERCIAL SIZE:	CB = Full Back Waist to shoulder length (in cm) in accordance with EN 1621-2:2014	S = Shoulder	E = Elbow
XS-M	46÷50 cm		
L-XL	51÷54 cm	Typ <mark>e A</mark>	Type A
XXL	55÷59 cm		

Technical File: DC-14150 + DC 17632/E

Test report: RCT n° 4012017/E

Functions and performance levels:

To reduce the severity of injuries caused by impacts. The protectors give a limited protection against mechanical impact in case of accidents.

EN 1621-1:2012

## SHOULDER PROTECTOR + ELBOW PROTECTOR:

Method: planar face drop striker at 50 J.

<u>Mandatory test</u>: from the values of the transmitted force obtained at standard ambient conditions and after hydrolytic treatment (= wet conditions) the overall performance reached is: **level 1**.

EN 1621-2:2014

## BACK PROTECTOR:

Method: "Kerbstone" at 50 J;

<u>Mandatory test</u>: from the values of the transmitted force obtained at standard ambient conditions and after hydrolytic treatment (= wet conditions) the performance reached is: **level 1**.

NOTE 1: The Norms EN 1621-1:2012 and EN 1621-2:2014 2 provide 2 performance levels and level 2 is the one offering higher performances.

(\*): The Norm EN 1621-3:2018 provides for 2 levels of protection, of which lev. 2 is deemed to provide better protection - if the protector has passed ONLY the force attenuation = display performance 1-if also the force distribution is passed = display performance 2;

GENERAL NOTE: The protective functions also depend on the correct positioning of the Body-Armor, which is not part of this assessment and falls within the responsibility of the user.





Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC





# **EU Type Examination Certificate**

Date: 2023/10/06 n. 525234003/OE Validity: 2027/03/07

### Marking:




**₽** C€₩₩

2 OR more CE-Markings (according to the nr of protectors included): main one for the "complete" PPE = "Body Protector ReaFlex Stealth" + one stitched on each protector composing the PPE item, and displaying the following information as required by each Standard:

- **CE** Marking;
- Name/Brand of the Manufacturer;
- item designation (numeric code: unique and unambiguous);
- pictogram indicating the intended use (motorcycling), protector type and size, overall protective level achieved during laboratory tests and indication of the Standard of reference;
- symbol "i in the booklet" to invite the user to read the Information Notice;
- additional information on the overall PPE Marking: Category II + Notified Body nr., website, "Made in...", internal codes, etc.













O'clevorcass.info DO NOT WASH DO NOT BLEACH DO NOT TUMBLE DRY P LINE DRY IN THE SHA DO NOT IRON DO NOT DRY CLEAN





NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).